

# United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/037,659	01/02/2002	Tanya Couch	SVL920010074US1/2304P 6531		
7:	590 05/18/2005		EXAMI	NER	
SAWYER LAW GROUP			BETIT, JACOB F		
P.O. Box 51418	8				
Palo Alto, CA 94303			ART UNIT	PAPER NUMBER	
			2164		
			DATE MAILED: 05/18/2005	DATE MAILED: 05/18/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

· · · · · · · · · · · · · · · · · · ·		
	Application No.	Applicant(s)
	10/037,659	COUCH ET AL.
Office Action Summary	Examiner	Art Unit
	Jacob F. Betit	2164
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	correspondence address
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be ting within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	nely filed swill be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).
Status		
<ul> <li>1) Responsive to communication(s) filed on 22 Fe</li> <li>2a) This action is FINAL. 2b) This</li> <li>3) Since this application is in condition for allowar closed in accordance with the practice under E</li> </ul>	action is non-final. nce except for formal matters, pro	
Disposition of Claims		
4) Claim(s) 1-90 is/are pending in the application. 4a) Of the above claim(s) is/are withdray 5) Claim(s) is/are allowed. 6) Claim(s) 1-90 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or	vn from consideration.	
Application Papers		•
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) acce Applicant may not request that any objection to the of Replacement drawing sheet(s) including the correction 11) The oath or declaration is objected to by the Ex	epted or b) objected to by the ld drawing(s) be held in abeyance. Section is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreign  a) All b) Some * c) None of:  1. Certified copies of the priority documents  2. Certified copies of the priority documents  3. Copies of the certified copies of the priori application from the International Bureau  * See the attached detailed Office action for a list	s have been received. s have been received in Applicati ity documents have been receive ı (PCT Rule 17.2(a)).	ion No ed in this National Stage
Attach manuful		
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 09-07-2004.	4) Interview Summary Paper No(s)/Mail Di 5) Notice of Informal F 6) Other:	
J.S. Patent and Trademark Office PTOL-326 (Rev. 1-04)	tion Summary Da	ert of Baner No /Mail Date 20050504

### **DETAILED ACTION**

#### Remarks

1. In response to communications filed on 22-February-2005, claims 1, 11-13, 21, 23, 25-27, 38-39, 47, 49, 51-53, 67, 75, and 83 are amended per applicant's request. Claims 1-90 are presently pending in the application.

## Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 3. Claims 1-5, 10-12, 14-17, 22-24, 26-31, 36-38, 40-43, 48-50, 52-58, 64-65, and 67-90 are rejected under 35 U.S.C. 102(e) as being anticipated by <u>Drexter</u> (U.S. patent application publication No. 2002/0046248 A1).

As to claim 1, <u>Drexter</u> teaches a method for converting messaging data into a relational table format in a database system, wherein the messaging data is within a messaging system (see page 1, paragraph 0002), the method comprising the steps of:

(a) providing a plurality of table formatting specifications; (see page 2, paragraph 0029);

- (b) utilizing the plurality of table formatting specifications to automatically build and store a table function in the database system (see page 3, paragraph 0034, where it is inherent that the associations (functions) are stored if they are going to be retrieved or recalled);
- (c) invoking the table function to access the messaging data (see pages 2-3, paragraphs 0030-0033); and
- (d) converting the messaging data by the table function into specific data types according to the plurality of table formatting specifications, wherein the messaging data is transformed into the relational table format (see page 3, paragraph 0033).

As to claim 27, <u>Drexter</u> teaches a computer readable medium containing programming instructions for converting messaging data into a relational table format in a database system, wherein the messaging data is within a messaging system (see page 2, paragraph 0024), comprising the programming instructions for:

- (a) providing a plurality of table formatting specifications (see page 2, paragraph 0029);
- (b) utilizing the plurality of table formatting specifications to automatically build and store a table function in the database system (see page 3, paragraph 0034, where it is inherent that the associations (functions) are stored if they are going to be retrieved or recalled);
- (c) invoking the table function from within the database system to access the messaging data (see pages 2-3, paragraphs 0030-0033); and
- (d) converting the messaging data by the table function into specific data types according to the plurality of table formatting specifications, wherein the messaging data is transformed into the relational table format (see page 3, paragraph 0033).

Page 4

As to claims 2 and 28, <u>Drexter</u> teaches wherein the table function invokes at least one messaging function within the database system (see page 4, paragraph 0042).

As to claims 3 and 29, <u>Drexter</u> teaches wherein the table function and the at least one messaging function are user-defined functions within the database system (see page 3, paragraph 0034).

As to claims 4 and 30, <u>Drexter</u> teaches wherein the at least one messaging function retrieves and reads messaging data in the message system (see page 4, paragraph 0042).

As to claims 5 and 31, <u>Drexter</u> teaches wherein the providing step (a) further includes the step of:

(a1) reading the plurality of table formatting specifications from a file (see page 4, paragraph 0041).

As to claims 10 and 36, <u>Drexter</u> teaches wherein the providing step (a) further includes the step of:

(a1) providing formatting information about the messaging data (see pages 2-3, paragraphs 0030-0033).

Application/Control Number: 10/037,659

Art Unit: 2164

As to claims 11 and 37, <u>Drexter</u> teaches wherein the providing step (a1) further includes the steps of:

(ali) designating a delimiter character, wherein the delimiter character separates the messaging data into column data (see pages 2-3, paragraphs 0030-0031).

As to claims 12 and 38, <u>Drexter</u> teaches wherein the converting step (d) further comprising:

(d1) invoking a parser function within the database system for parsing the delimited messaging data (see pages 2-3, paragraphs 0030-0031).

As to claims 14 and 40, <u>Drexter</u> teaches wherein the providing step (a1) further includes the step of:

(ali) specifying a fixed-length format by indicating a position (see page 3, paragraph 0036) and length of each column (see pages 2-3, paragraph 0030).

As to claims 15 and 41, <u>Drexter</u> teaches wherein the providing step (a) further includes the step of:

(a2) allowing a user to view the messaging data in the messaging system to verify the formatting information provided (see page 6, paragraph 0064).

As to claims 16 and 42, <u>Drexter</u> teaches wherein the messaging data comprises a message string, the message string including a plurality of substrings, wherein each substring represents

data that is returned as a column in a table (see page 3, paragraph 0037, where "column" is read on "field").

As to claims 17 and 43, <u>Drexter</u> teaches wherein the providing step (a) further includes the step of:

(a1) defining a column for each substring of the plurality of substrings in the message string (see page 3, paragraph 0036).

As to claims 22 and 48, <u>Drexter</u> teaches wherein the providing step (a) further includes the step of:

(a1) allowing a user to create and name a table view based on the table formatting specifications (see page 3, paragraphs 0034-0037).

As to claims 23 and 49, <u>Drexter</u> teaches wherein the invoking step (c) further includes the step of:

(c1) selecting messaging data from the table view (see page 3, paragraph 0036).

As to claims 24 and 50, <u>Drexter</u> teaches wherein the providing step (a) further includes the step of:

(a1) allowing a user to review a summary of the table formatting specifications before building the table function (see page 3, paragraph 0035-0036).

As to claims 26 and 52, <u>Drexter</u> teaches further including populating directly a relational table in the database system with the returned messaging data (see figure 1).

As to claim 53, <u>Drexter</u> teaches a system for converting messaging data into a relational table format in a database system, wherein the messaging data is within a messaging system (see page 1, paragraph 0002), the system comprising:

a processor (see page 2, paragraph 0023);

a table function building application executable by the processor for receiving a plurality of table formatting specifications (see page 2, paragraph 0029) and for utilizing the plurality of table formatting specifications to automatically build and store a table function in the database system (see page 3, paragraph 0034, where it is inherent that the associations (functions) are stored if they are going to be retrieved or recalled); and

means for invoking the table function from within the database system to access the messaging data (see pages 2-3, paragraphs 0030-0033);

wherein, once invoked, the table function converts the messaging data into specific data types according to the plurality of table formatting specifications and transforms the messaging data into the relational table format (see page 3, paragraph 0033).

As to claim 54, <u>Drexter</u> teaches wherein the table function invokes at least one messaging function within the database system (see page 3, paragraph 0038).

As to claim 55, <u>Drexter</u> teaches wherein the table function and the at least one messaging function are user-defined functions within the database system (see page 3, paragraph 0034).

As to claim 56, <u>Drexter</u> teaches wherein the at least one messaging function retrieves and reads messaging data in the message system (see page 3, paragraph 0038).

As to claim 57, <u>Drexter</u> teaches wherein the table function building application includes a means for collecting the table formatting specifications from a user (see page 3, paragraphs 0035-0037).

As to claim 58, <u>Drexter</u> teaches wherein the table function building application includes means for downloading the table formatting specifications from a file (see page 3, paragraph 0034).

As to claim 64, <u>Drexter</u> teaches wherein the table function building application builds the table function based on the plurality of table formatting specifications collected through the graphical user interface (see page 3, paragraphs 0035-0037).

As to claim 65, <u>Drexter</u> teaches wherein the invoking means includes means for selecting messaging data from the table view (see page 3, paragraph 0036).

As to claim 67, <u>Drexter</u> teaches a system for generating a customized invocation mechanism (see page 1, paragraph 0002), comprising:

an interface for receiving customizations (see page 3, paragraph 0034-0037); and a software module coupled to the interface for building an invocation mechanism based on the customization specifications and storing the invocation mechanism in a database (see page 3, paragraph 0034, where it is inherent that the associations (functions) are stored if they are going to be retrieved or recalled), wherein the invocation mechanism is invokable by the database for accessing data external to the database (see page 3, paragraphs 0036-0037).

As to claim 75, <u>Drexter</u> teaches a method for generating a customized invocation mechanism (see page 1, paragraph 0002), comprising the steps of:

receiving customization specifications (see page 3, paragraphs 0034-0037); and building an invocation mechanism based on the customization specifications and storing the invocation mechanism in a database (see page 3, paragraph 0034, where it is inherent that the associations (functions) are stored if they are going to be retrieved or recalled), wherein the invocation mechanism is invokable by the database for accessing data external to the database (see page 3, paragraphs 0036-0037).

As to claim 83, <u>Drexter</u> teaches a program product containing instructions executable by a computer, the instructions embodying a method for generating a customized invocation mechanism (see page 2, paragraph 0024), comprising the steps of:

receiving customization specifications (see page 3, paragraphs 0034-0037); and

building an invocation mechanism based on the customization specifications and storing the invocation mechanism in a database (see page 3, paragraph 0034, where it is inherent that the associations (functions) are stored if they are going to be retrieved or recalled), wherein the invocation mechanism is invokable by the database for accessing data external to the database (see page 3, paragraphs 0036-0037).

As to claim 68, 76, and 84, <u>Drexter</u> teaches wherein the invocation mechanism is dynamically generated (see page 3, paragraphs 0034-0037)

As to claim 69, 77, and 85, <u>Drexter</u> teaches wherein the invocation mechanism further comprises at least one of the group consisting of: a UDF, a table function, a virtual table, a stored procedure, a trigger, a query statement, and a federated table, and an equivalent of any of the foregoing (see page 3, paragraphs 0034-0037).

As to claim 70, 78, and 86, <u>Drexter</u> teaches further comprising means for invoking the invocation mechanism from a database (see pages 6-7, paragraphs 0070-0072).

As to claim 71, 79, and 87, <u>Drexter</u> teaches further comprising means for converting data accessed by the invocation mechanism into a format understood by the database (see page 5, paragraphs 0055-0057).

Application/Control Number: 10/037,659 Page 11

Art Unit: 2164

As to claim 72, 80, and 88, <u>Drexter</u> teaches wherein the interface further comprising a graphical user interface for receiving function customization specifications (see page 7, paragraphs 0074-0077).

As to claim 73, 81, and 89, <u>Drexter</u> teaches wherein the customization specifications further comprise specification of a relational format for nonrelational data accessed by the customized function (see page 3, paragraphs 0034-0037).

As to claim 74, 82, and 90, <u>Drexter</u> teaches wherein the interface further comprises means for previewing nonrelational data in relational format based on customization specifications (see page 3, paragraph 0034-0037).

## Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 6-9, 32-35, and 59-63 are rejected under 35 U.S.C. 103(a) as being unpatentable over <u>Drexter</u> (U.S. patent application publication No. 2002/0046248 A1) in view of <u>Demers et al.</u> (U.S. patent No. 5,870,761).

As to claims 6 and 32, <u>Drexter</u> teaches wherein the providing step (a) further includes the steps of:

Page 12

- (a1) selecting a name for the table function (see page 3, paragraph 0034);
- (a2) specifying where the table function is to be stored (see page 3, paragraph 0034 and see page 4, paragraph 0041).
  - (a3) indicating where the messaging data resides (see page 3, paragraph 0038).

<u>Drexter</u> does not teach selecting a type for the table function, wherein the type includes one of a retrieve function and a read function.

Demers et al. teaches duplicating at a destination site changes made to data at a source site (see abstract), in which he teaches selecting a type for the table function, wherein the type includes one of a retrieve function and a read function (see column 5, lines 4-12).

Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified <u>Drexter</u> to include selecting a type for the table function, wherein the type includes one of a retrieve function and a read function.

It would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified <u>Drexter</u> by the teachings of <u>Demers et al.</u> because selecting a type for the table function, wherein the type includes one of a retrieve function and a read function would allow other destination sites to dequeue the record (see <u>Demers et al.</u>, column 5, lines 4-12).

As to claims 7 and 33, <u>Drexter</u> as modified, teaches wherein the specifying step (a2) further includes the steps of:

(a2i) providing a database name and access information; and (a2ii) allowing the user to

validate the access information (see <u>Drexter</u>, page 4, paragraph 0039).

As to claims 8 and 34, <u>Drexter</u> as modified, teaches wherein the indicating step (a3)

further includes the step of:

(a3i) providing a service point name for the messaging data (see <u>Drexter</u>, page 3,

paragraph 0038).

As to claims 9 and 35, <u>Drexter</u> as modified, teaches wherein the indicating step (a3)

further includes the step of:

(a3i) providing a system default endpoint for the messaging data (see <u>Drexter</u>, page 3,

paragraph 0037).

As to claim 59, <u>Drexter</u> teaches wherein the collecting means comprises a graphical user

interface, wherein the graphical user interface prompts a user to select a name to specify where

the table function is to be stored, and to indicate where the messaging data resides (see page 3,

paragraph 0034).

<u>Drexter</u> does not teach to select a type for the table function, wherein the type includes

one of a retrieve function and a read function.

<u>Demers et al.</u> teaches to select a type for the table function, wherein the type includes one

of a retrieve function and a read function (see column 5, lines 4-12).

Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified Drexter to include to select a type for the table function, wherein the type includes one of a retrieve function and a read function.

It would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified <u>Drexter</u> by the teachings of <u>Demers</u> et al. because to select a type for the table function, wherein the type includes one of a retrieve function and a read function would allow other destination sites to dequeue the record (see Demers et al., column 5, lines 4-12).

As to claim 60, <u>Drexter</u> as modified, teaches wherein the graphical user interface further prompts the user to provide formatting information about the messaging data (see Drexter, page 3, paragraphs 0035-0036).

As to claim 61, <u>Drexter</u> as modified, teaches wherein the messaging data comprises a message string, the message string including a plurality of substrings, wherein each substring represents data that is returned as a column in a table (see <u>Drexter</u>, page 3, paragraph 0036).

As to claim 62, <u>Drexter</u> as modified, teaches wherein the graphical user interface further allows the user to define a column for each substring of the plurality of substrings in the message string (see Drexter, page 3, paragraph 0035-0037).

As to claim 63, <u>Drexter</u> as modified, teaches wherein the table function building application builds the table function based on the plurality of table formatting specifications collected through the graphical user interface (see <u>Drexter</u>, page 3, paragraph 0035-0037).

6. Claims 13 and 39 are rejected under 35 U.S.C. 103(a) as being unpatentable over <u>Drexter</u> (U.S. patent application publication No. 2002/0046248 A1) in view of <u>Huth et al.</u> (U.S. patent No. 6,704,742 B1).

As to claims 13 and 39, <u>Drexter</u> teaches wherein the invoking step (d1) further includes:

(d1i) checking for the parser function within the database system (see figure 2, reference number 42); and

(d1iii) registering the parser function to the database system after it is built (see page 3, paragraph 0036).

Drexter does not teach

(d1ii) building the parser function if it does not exist within the database system.

Huth et al. teaches accessing database data so that massive amounts of data can be manipulated in many different ways to generate reports of many different types in a rapid manner (see abstract), in which he teaches building the parser function if it does not exist within the database system (see column 9, lines 30-58).

Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified <u>Drexter</u> to include building the parser function if it does not exist within the database system.

It would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified <u>Drexter</u> by the teachings of <u>Huth et al.</u> because building the parser function if it does not exist within the database system would allow the manipulation of data in a way that was not previously defined (see <u>Huth et al.</u>, abstract).

7. Claims 18-21, 25, 44-47, 51, and 66 are rejected under 35 U.S.C. 103(a) as being unpatentable over <u>Drexter</u> (U.S. patent application publication No. 2002/0046248 A1) in view of <u>Poskanzer</u> (U.S. patent No. 6,658,426 B1).

As to claims 18 and 44, <u>Drexter</u> teaches wherein the defining step (a1) further includes the steps of:

(a1i) naming each column (see page 5, paragraph 0056)

<u>Drexter</u> does not teach (alii) designating a data type for each column.

<u>Poskanzer</u> teaches designating a data type for each column (see column 3, lines 39-43).

Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified <u>Drexter</u> to include designating a data type for each column.

It would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified <u>Drexter</u> by the teachings of <u>Poskanzer</u> because designating a data type for each column would determine how the SQL statement must be structured to access data relating to that field (see <u>Poskanzer</u>, column 3, lines 39-43).

Application/Control Number: 10/037,659

Art Unit: 2164

As to claims 19 and 45, <u>Drexter</u> as modified, teaches wherein the defining step (a1) further includes the step of:

(a1iii) allowing the user to view the messaging data formatted according to the column definitions provided (see <u>Drexter</u>, page 3, paragraph 0035).

As to claims 20 and 46, <u>Drexter</u> as modified, teaches wherein the providing step (a) further includes the step of:

(a2) building the table function based on the table formatting specifications collected from the user (see <u>Drexter</u>, page 3, paragraph 0035-0037).

As to claims 21 and 47, <u>Drexter</u> as modified, teaches wherein the converting step (c) further includes:

- (d1) parsing the message string into the plurality of substrings (see <u>Drexter</u>, page 5, paragraph 0056).
- (d2) converting each substring into the designated data type corresponding to its column (see <u>Poskanzer</u>, column 3, line 54 through column 4, line 4).

As to claims 25 and 51, <u>Drexter</u> does not teach wherein the invoking step (c) further includes the step of:

(c1) integrating the table function within a structured query language statement.

<u>Poskanzer</u> teaches wherein the invoking step (c) further includes the step of: integrating the table function within a structured query language statement (see column 3, lines 26-43).

Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified <u>Drexter</u> to include wherein the invoking step (c) further includes the step of: integrating the table function within a structured query language statement.

It would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified <u>Drexter</u> by the teachings of <u>Poskanzer</u> because wherein the invoking step (c) further includes the step of: integrating the table function within a structured query language statement would allow it to input data into an SQL database (see <u>Poskanzer</u>, column 3, lines 29-34, and see lines 15-17).

As to claim 66, <u>Drexter</u> does not teach wherein the invoking means includes means for integrating the table function within a structured query language statement.

<u>Poskanzer</u> teaches wherein the invoking means includes means for integrating the table function within a structured query language statement (see column 3, lines 26-43).

Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified <u>Drexter</u> to include wherein the invoking means includes means for integrating the table function within a structured query language statement.

It would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified <u>Drexter</u> by the teachings of <u>Poskanzer</u> because wherein the invoking means includes means for integrating the table function within a structured query language statement would allow it to input data into an SQL database (see <u>Poskanzer</u>, column 3, lines 29-34, and see lines 15-17).

Application/Control Number: 10/037,659 Page 19

Art Unit: 2164

## Response to Arguments

8. Applicant's arguments filed 22-February-2005 have been fully considered but they are not persuasive.

In response to the applicant's arguments that "Drexter fails to teach or suggest 'utilizing the plurality of table specifications to automatically build and store a table function in the database system' ... or 'building an invocation mechanism... and storing the invocation mechanism in a database" and in response to the applicant's arguments that "Drexter fails to teach or suggest 'invoking the table function from within the database system' ... or an 'invocation mechanism [that] is invocakable by the database'", the arguments have been fully considered but are not deemed persuasive. <u>Drexter</u> does disclose saving the function on the database system (see paragraph 0034, where it is inherent that if the association is going to be recalled at a later time it is saved). Drexter clearly discloses that one embodiment of the present invention is for it to be executed on a (single) computer system (see paragraph 0034). No where in Drexter is there evidence that the invention requires multiple systems or that parts of the invention would be executed on different systems. He teaches away from this when disclosing a database application, an email application, and an import application on the same system (see paragraphs 0027-0028). Drexter teaches reusing the association (function) using the name given to the association (see paragraph 0034) which is read on invoking the application from within the database system. It is noted that a database is simply a storage area, and that a database system is needed to invoke any program, application, or mechanism, and it is therefore assumed

that the applicant is referring to the database system when reciting the limitation "wherein the invocation mechanism is invokable by the database" in claims 67, 75, and 83.

Page 20

In response to the applicant's arguments that "Drexter fails to teach or suggest 'converting the messaging data ... into specific data types'", the arguments have been fully considered but are not deemed persuasive. Drexter discloses converting characters that are not in the proper numerical format into a specific numerical format (see paragraph 0067). He also discloses converting data from Wordperfect<sup>TM</sup> type data to Microsoft Access<sup>TM</sup> type data, converting data that is encoded into decoded data, expanding (converting) data that is abbreviated, and abbreviating (converting) data that is expanded (see paragraph 0068).

### Conclusion

9. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, THIS ACTION IS MADE FINAL. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event,

however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jacob F. Betit whose telephone number is (703) 305-3735. The examiner can normally be reached on Monday through Friday 9 am to 5 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dov Popovici can be reached on (703) 305-3830. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

jfb 4 May 2005 SAM RIMELL PRIMARY EXAMINER